

Product no.: 05-5002 B

Current version: 2.0.1, issued: 10.12.2015 Replaced version: 2.0.0, issued: 12.08.2015 Region: GB

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

# CyStain® UV Precise P - Nuclei Extraction Buffer

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

laboratory chemicals

### Uses advised against

No data available.

# 1.3 Details of the supplier of the safety data sheet

#### Address

Sysmex Partec GmbH Am Flugplatz 13 02828 Görlitz

Telephone no. +49 3581 8746-0 Fax no. +49 3581 8746-70 e-mail info@sysmex-partec.com

### Information provided by / telephone

Regulatory Affairs, Tel. +49 3581 8746-0

# **Advice on Safety Data Sheet**

sdb\_info@umco.de

# 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

# **Classification information**

Product is classified as "Corrosive" based on the extrem pH-value, see: - Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2)

### 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

### Hazard pictograms



# Signal word

Danger

# **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.



Trade name: CyStain® UV Precise P - Nuclei Extraction Buffer

Product no.: 05-5002 B

Current version: 2.0.1, issued: 10.12.2015 Replaced version: 2.0.0, issued: 12.08.2015 Region: GB

### **Precautionary statements**

P264 Wash hands and face thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local and national regulations.

### 2.3 Other hazards

PBT assessment No data available. vPvB assessment No data available.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

**Hazardous ingredients** 

No	Substance name			Additional information		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration		%
	REACH no					
1	Poly(oxy-1,2-ethan	ediyl), .alpha[(1,1,3,3-tetramethylbutyl)phenyl]-				
	omegahydroxy-					
	9036-19-5	Acute Tox. 4; H302	>	1.00 - <	5.00	%-b.w.
	-	Aquatic Chronic 3; H412				
	-	Eye Dam. 1; H318				
	-					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### **General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

# After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

### After skin contact

Wash off immediately with soap and water.

### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

### After ingestion

Call a doctor immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

# Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet



Product no.: 05-5002 B

Current version: 2.0.1, issued: 10.12.2015 Replaced version: 2.0.0, issued: 12.08.2015 Region: GB

### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

# 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

# 6.4 Reference to other sections

No data available.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

### Advice on safe handling

Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

# General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. Wash hands and skin before breaks and after work. Do not inhale vapours. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately.

# Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Vapours can form an explosive mixture with air.

# 7.2 Conditions for safe storage, including any incompatibilities

# Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

### Recommended storage temperature

Value 4 °C

### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage.

# Advice on storage assembly

Do not store together with: Oxidizing agents; Acids; Bases

### 7.3 Specific end use(s)

No data available.



Product no.: 05-5002 B

Current version: 2.0.1, issued: 10.12.2015 Replaced version: 2.0.0, issued: 12.08.2015 Region: GB

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

No parameters available for monitoring.

### 8.2 Exposure controls

# Appropriate engineering controls

No data available.

### Personal protective equipment

### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

### Eye / face protection

Safety glasses with side protection shield (EN 166)

### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product . Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Normal chemical work clothing.

### **Environmental exposure controls**

No data available.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Form/Colour			
liquid			
transparent			
Odour			
No data available			
Odour threshold			
No data available			
pH value			
Value	1.8		



Trade name: CyStain® UV Precise P - Nuclei Extraction Buffer

Product no.: 05-5002 B

Current version: 2.0.1, issued: 10.12.2015 Replaced version: 2.0.0, issued: 12.08.2015 Region: GB

Boiling point / boiling range

No data available

Melting point / melting range

No data available

Decomposition point / decomposition range

No data available

Flash point

No data available

**Auto-ignition temperature** 

No data available

**Oxidising properties** 

No data available

**Explosive properties** 

No data available

Flammability (solid, gas)

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

No data available

Vapour density

No data available

**Evaporation rate** 

No data available

Relative density

No data available

**Density** 

No data available

Solubility in water

No data available

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

No data available

9.2 Other information

Other information

No data available.

**SECTION 10: Stability and reactivity** 

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).



Trade name: CyStain® UV Precise P - Nuclei Extraction Buffer

Product no.: 05-5002 B

Current version: 2.0.1, issued: 10.12.2015 Replaced version: 2.0.0, issued: 12.08.2015 Region: GB

# 10.3 Possibility of hazardous reactions

None, if handled according to order.

# 10.4 Conditions to avoid

None, if handled according to intended use.

### 10.5 Incompatible materials

Oxidizing agents; strong acids; strong bases

### 10.6 Hazardous decomposition products

None, if handled according to intended use.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute oral toxicity (result of the ATE calculation for the mixture)					
No	Product Name				
1	CyStain® UV Precise P - Nuclei Extraction Buffer				
Rem	narks	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).			
Acu	te oral toxicity				
No data available					
Acute dermal toxicity					
No o	No data available				

# Acute inhalational toxicity

No data available

# Skin corrosion/irritation

No data available

# Serious eye damage/irritation

No data available

# Respiratory or skin sensitisation

No data available

# Germ cell mutagenicity

No data available

# Reproduction toxicity

No data available

# Carcinogenicity

No data available

# STOT-single exposure

No data available

# STOT-repeated exposure

No data available

### **Aspiration hazard**

No data available

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of the vapours causes irritation of the respiratory tract and mucous membrane, headaches, nausea, giddiners, vomiting. Eye contact with the product may lead to irritation. Frequent persistent contact with the skin can cause skin irritation.



Trade name: CyStain® UV Precise P - Nuclei Extraction Buffer

Product no.: 05-5002 B

Current version: 2.0.1, issued: 10.12.2015 Replaced version: 2.0.0, issued: 12.08.2015 Region: GB

# **SECTION 12: Ecological information**

### 12.1 Toxicity

### Toxicity to fish (acute)

No data available

# Toxicity to fish (chronic)

No data available

# **Toxicity to Daphnia (acute)**

No data available

### **Toxicity to Daphnia (chronic)**

No data available

### Toxicity to algae (acute)

No data available

# Toxicity to algae (chronic)

No data available

### **Bacteria toxicity**

No data available

# 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

# 12.4 Mobility in soil

No data available.

# 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	No data available.	
vPvB assessment	No data available.	

### 12.6 Other adverse effects

No data available.

# 12.7 Other information

# Other information

Do not discharge product unmonitored into the environment.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

# **Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



Product no.: 05-5002 B

Current version: 2.0.1, issued: 10.12.2015 Replaced version: 2.0.0, issued: 12.08.2015 Region: GB

# **SECTION 14: Transport information**

### 14.1 Transport ADR/RID/ADN

Class 8
Classification code C1
Packing group III
Hazard identification no. 80
UN number UN1789

Technical name HYDROCHLORIC ACID, SOLUTION

Tunnel restriction code E Label 8

### 14.2 Transport IMDG

Class 8
Packing group III
UN number UN1789

Proper shipping name HYDROCHLORIC ACID, SOLUTION

EmS F-A+S-B Label 8

### 14.3 Transport ICAO-TI / IATA

Class 8
Packing group III
UN number UN1789

Proper shipping name Hydrochloric acid, solution

Label 8

### 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

# Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe No 3 XVII.

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

### 15.2 Chemical safety assessment

No data available.



Trade name: CyStain® UV Precise P - Nuclei Extraction Buffer

Product no.: 05-5002 B

Current version: 2.0.1, issued: 10.12.2015 Replaced version: 2.0.0, issued: 12.08.2015 Region: GB

# **SECTION 16: Other information**

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

### Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183, D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.

The security data sheet describes products with a view to the security requirements.

However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.